



# VTF02S SOLAR HOSES



## VTF02S SOLAR HOSES

WIDE PITCH  
MAJOR AREA OF APPLICATION:  
SOLAR INDUSTRY, HEATING  
SYSTEMS. HOSE MATERIAL : AISI  
316L (1.4404) SIZES: DN 15 - DN 40



Nominal Hose Size (in.)	Model	Braid Layers	Nominal Inside Diameter mm	Nominal Outside Diameter mm	Pressure Rating at 23°C (kg/cm <sup>2</sup> )			Minimum Centreline Bend Radius (mm)		Weight (kg/mtr.)	Typical Length mtrs.
					Max. Working	Max. Test	Nominal Burst	Static	Dynamic		
1/2"	VTF 02S	0	12.3	16.2	12	18	90	45	140	0.105	50
5/8"	VTF 02S	0	16.3	21.3	10	15	85	58	160	0.150	50
3/4"	VTF 02S	0	20.5	26.2	8	12	70	70	170	0.175	50
1"	VTF 02S	0	25.5	32.0	6	9	40	85	190	0.248	50
1 1/4"	VTF 02S	0	34.2	40.7	4	6	30	105	260	0.345	50
1.1/2"	VTF 02S	0	40.2	50.0	3	5	24	130	300	0.515	50





Ambarnath MIDC, Anand Nagar, Ambarnath, Thane,  
Mumbai, Maharashtra, 421501

[info@vtflex.com](mailto:info@vtflex.com)

[www.vtflex.com](http://www.vtflex.com)